



# GSMoT Special Cleaner

## 1. IDENTIFICATION

Product Name: Special Cleaner  
 Product Code: 421000X  
 SDS#: MS-421000X  
 Recommended use: Cleaner/Degreaser  
 This product is intended to be diluted prior to use  
 Uses advised against: Uses other than those identified are not recommended

Supplier:  
 Global Scuba Manufacturing of Texas LLC  
 4674 Prime Lane, Suite 402  
 Pflugerville, TX 78660  
 Phone: (512) 240-6644  
 SDS Internet website: <http://www.global-mfg.com>

**Emergency telephone number:** (512) 240-6644

## 2. HAZARDS IDENTIFICATION

### Classification for the undiluted product

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 2
Metal Corrosion:	Category 1



Signal Word: Danger.

Precautionary Statements

MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE. CAUSES SKIN IRRITATION. CAUSES

SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.

Avoid contact with eyes, skin and clothing. Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Do not breathe spray. Wash affected areas thoroughly after handling. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: wash with plenty of soap and water. If skin irritation occurs:

Get medical advice or attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Get medical attention or advice if you feel unwell. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION: Mix only with water. DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react acids resulting in spattering and excessive heat.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

**Classification for the diluted product @ 1:5.**

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

**Precautionary Statements**

None required.

**3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Classified Ingredients**

Ingredient(s)	CAS #	Weight %
Sodium silicate	1344-09-8	3% - < 5%
Sodium xylene sulfonate	1300-72-7	3% - < 5%
Alcohol ethoxylates	68439-46-3	1% - < 3%
Tetrasodium salt of EDTA	64-02-8	1% - < 3%
Sodium hydroxide	1310-73-2	1% - < 3%

\*Exact percentages are being withheld as trade secret information

**4. FIRST AID MEASURES**

**Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed** Not applicable.

**Aggravated Medical Conditions:** Persons with pre-existing skin disorders may be more susceptible to irritating effects.

**Diluted Product:**

**Eyes:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Skin:** Rinse with plenty of water. If irritation occurs and persists, get medical attention.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** Rinse mouth with water.

## 5. FIRE-FIGHTING MEASURES

**Specific methods:** No special methods required

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Not applicable.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Mix only with water. Do not mix with any other product or chemical. May react to release hazardous gases. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**Aerosol Level (if applicable) :** Not applicable

<b>8. EXPOSURE CONTROLS / PERSONAL PROTECTION</b>
---

Ingredient(s)	CAS #	ACGIH	OSHA
Sodium silicate	1344-09-8	-	-
Sodium xylene sulfonate	1300-72-7	-	-
Alcohol ethoxylates	68439-46-3	-	-
Tetrasodium salt of EDTA	64-02-8	-	-
Sodium hydroxide	1310-73-2	2 mg/m <sup>3</sup> (Ceiling)	2 mg/m <sup>3</sup> (TWA)

**Undiluted Product:****Engineering measures to reduce exposure:**

No special ventilation requirements General room ventilation is adequate

**Personal Protective Equipment****Eye protection:**

Chemical-splash goggles.

**Hand protection:**

Chemical-resistant gloves.

**Skin and body protection:**

No special protective clothing is required.

**Respiratory protection:**

No special protective clothing is required.

**Hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice.

**Diluted Product:****Personal Protective Equipment****Eye protection:**

No personal protective equipment required under normal use conditions.

**Hand protection:**

No personal protective equipment required under normal use conditions.

**Skin and body protection:**

No personal protective equipment required under normal use conditions.

**Respiratory protection:**

No personal protective equipment required under normal use conditions.

**Hygiene measures:**

Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<p><b>Physical State:</b> Liquid</p> <p><b>Evaporation Rate:</b> No information available</p> <p><b>Odor threshold:</b> No information available.</p> <p><b>Melting point/range:</b> Not determined</p> <p><b>Autoignition temperature:</b> No information available</p> <p><b>Solubility in other solvents:</b> No information available</p> <p><b>Density:</b> 8.93 lbs/gal 1.0711 Kg/L</p> <p><b>Bulk density:</b> No information available</p> <p><b>Flash point:</b> &gt; 200 °F &gt; 93.3 °C</p> <p><b>Dilution Flash Point:</b> 200 °F 93.3 °C</p> <p><b>Elemental Phosphorus:</b> 0.00 % by wt.</p> <p><b>pH:</b> 12.85</p> <p><b>Dilution pH:</b> 12.42 @ 1:5</p> <p><b>Metal Corrosion:</b> Not determined</p> <p><b>Explosion limits:</b> - upper: Not determined - lower: Not determined</p>	<p><b>Color:</b> Clear, Green</p> <p><b>Odor:</b> Surfactant</p> <p><b>Boiling point/range:</b> Not determined</p> <p><b>Decomposition temperature:</b> Not determined</p> <p><b>Solubility:</b> Completely Soluble</p> <p><b>Relative Density (relative to water):</b> 1.0711</p> <p><b>Vapor density:</b> No information available</p> <p><b>Vapor pressure:</b> No information available.</p> <p><b>Partition coefficient (n-octanol/water):</b> No information available</p> <p><b>Viscosity:</b> No information available</p> <p><b>VOC:</b> 0 % *</p> <p><b>VOC % by wt. at use dilution</b> 0 % *</p> <p><b>Flammability (Solid or Gas):</b> Not applicable</p>
--	--

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

## 10. STABILITY AND REACTIVITY

<p><b>Reactivity:</b></p> <p><b>Stability:</b></p> <p><b>Possibility of hazardous reactions:</b></p> <p><b>Hazardous decomposition products:</b></p> <p><b>Materials to avoid:</b></p> <p><b>Conditions to avoid:</b></p>	<p>Not Applicable</p> <p>The product is stable</p> <p>May vigorously react with acids resulting in spattering and excessive heat.</p> <p>None reasonably foreseeable.</p> <p>Do not mix with any other product or chemical. Strong acids. Do not mix with any other product or chemical unless specified in the use directions.</p> <p>No information available.</p>
---	--

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure:**

Eye contact, Skin contact, Inhalation, Ingestion

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

**Numerical measures of toxicity**

ATE - Oral (mg/kg): >5000

ATE - Inhalatory, mists (mg/l): >20

## 12 ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

## 13 DISPOSAL CONSIDERATIONS

**Waste from residues / unused products:** Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations. This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Contaminated Packaging:** Do not re-use empty containers.

**RCRA Hazard Class (undiluted product):** D002 Corrosive Waste

**RCRA Hazard Class (diluted product):** Not Regulated

## 14. TRANSPORT INFORMATION

**DOT/TDG/IMDG:** Proper shipping descriptions can vary by pack size.

**DOT (Ground) Bill of Lading Description:** CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS

**LIQUID IMDG (Ocean) Bill of Lading Description:** CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

<b>15. REGULATORY INFORMATION</b>
-----------------------------------

**International Inventories at CAS# Level**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

**U.S. Regulations**

**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65.

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Sodium silicate	1344-09-8	-	-	-	-
Sodium xylene sulfonate	1300-72-7	-	-	-	-
Alcohol ethoxylates	68439-46-3	-	-	-	-
C9-11 alcohols, ethoxylated (GEO)	68439-46-3	-	-	-	-
Sodium hydroxide	1310-73-2	X	X	X	X

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Sodium hydroxide	1310-73-2	1% - < 3%	1000		

**SARA 311/312 Hazard Categories**

<b>Immediate:</b>	X
<b>Delayed:</b>	-
<b>Fire:</b>	-
<b>Reactivity:</b>	-
<b>Sudden Release of Pressure:</b>	-

<b>16. OTHER INFORMATION</b>
------------------------------

**NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

<b>Health</b>	3
<b>Flammability</b>	0
<b>Instability</b>	0

**Notice to Reader:** This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.